

200000289

## THE UNIVERD STAYIES OF AMERICA

TO ALL TO WHOM THESE: PRESENTS: SHALL COME;

# IFRATB Genetics Corporation

MICCORS, THERE HAS BEEN PRESENTED TO THE

#### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT. VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN CLING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY ATION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEO.)

CORN, FIELD

'86ISI27'

In Jestimonn Therest, I have hereunto set my hand and caused the seal of the Hunt Pariety Arctection Office to be affixed at the City of Washington, D.C. this second day of May, in the year two thousand two.

Aunt.

Olonjah

Plant Variety Protection Office

of Agricult

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY - PLANT VARIETY PROTECTION OFFICE

The following state nents are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

(7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

(Instructions and information	collection burden statement	on rever	se)		·			
1 NAME OF OWNER  DEKALB Genetics Corporation				2. TEMPORARY DESIGNAT EXPERIMENTAL NAME	3. VARIETY NAME 861S127			
4 ADDRESS (Street and No., or R.F.D. No.	4 ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and Country)				5. TELEPHONE (Include area code)		FOR OFFICIAL USE ONLY	
	3100 Sycamore Road DeKalb, IL 60115				(815) 758-928  6. FAX (include area code)  (815) 758-311	2 (	PVEO NUMBER 0 2 8 9	
7. IF THE OWNER NAMED IS NOT A "PERSONGANIZATION (corporation, padnership	, association, etc.)	8. IF INC	E OF INCO	PORATED GIVE 9. DATE OF INCORPORATION elaware June 15, 1988		•	1/1/00	
Corporatio		<u> </u>					( ) ( )	
DEKALB Genetics Corporation  DEKAL 3100 Svcamore Road  3100 S			<del>onald 1</del> EKALE 100 Syd	Id Traut Michael J. Roth  ALB Genetics Corporation  Sycamore Road			R DATE 6/8/00 C CERTIFICATION FEE:	
11. TELEPHONE (Include area code)	12. FAX (Include area code)		13. E_M	AIL		14. CRO	P KIND (Common Name)	
(815) 758-9281	(815) 758-9281 (815) 758-3117			tkain@dekalb.com			Corn	
15 GENUS AND SPECIES NAME OF CROP			16. FAN	MILY NAME (Bolanical)  17. IS THE VARIETY A FIRST GENERAL HYBRID?				
<u>Zea</u> <u>r</u>	Zea mays			Gramineae 🔲 YES X NO				
18. CHECK APPROPRIATE BOX FOR EACH reverse)  a. X Exhibit A. Origin and Breeding  b. X Exhibit B. Statement of Distinct	History of the Variety	instructions	on	CERTIFIED S	WNER SPECIFY THAT SEED ( SEED7 See Section 83(a) of "ES (If "yes", answer items 20 and 21 below)	the Plant Va	RIETY BE SOLD AS A CLASS OF unety Protection Act)  X NO (11 "no," go to item 22)	
c. X Exhibit C. Objective Description d. Exhibit D. Additional Description e. X Exhibit E. Statement of the Bas f. Y Voucher Sample (2,500 viable)	n of Variety n of the Variety ( <i>Optional)</i> is of the Owner's Ownership	ed varieties, approved po	ablic	OF GENERAT	TIONS?  ES  TEM 20, WHICH CLASSES OF	· · · · · · · · · · · · · · · · · · ·	NO  ON BEYOND BREEDER SEED?	
Filing and Examination Fee (\$2     States" (Mail to the Plant Variet	,450), made payable to "Treasurer of ( y Protection Office)	the United		_				
22. HAS THE VARIETY (INCLUDING ANY HAS FROM THIS VARIETY BEEN SOLD, DISPOTHER COUNTRIES?  X YES U.S. February	OSED OF, TRANSFERRED, OR USE	D PRODUCE ED IN THE L	ED J. S. OR	PROPERTY F	ETY OR ANY COMPONENT OF RIGHT (PLANT BREEDER'S RI PES	GHT OR PA	TY PROTECTED BY INTELLECTUAL TENT?  X NO	
IF YES, YOU MUST PROVIDE THE DAT	IF YES, YOU MUST PROVIDE THE DATE OF FIRST SALE, DISPOSITION, TRANSFER, OR USE FOR EACH COUNTRY AND THE CIRCUMSTANCES. (Please use space indicated on reverse.)							
24. The owners declare that a viable sample of for a luber propagated variety a tissue cut.  The undersigned owner(s) is(are) the ownerd is entitled to protection under the pro- Owner(s) is(are) informed that false representations.	ture will be deposited in a public report or of this sexually reproduced or tuber isions of Section 42 of the Plant Varie	sitory and m propagated ty Protection	eintained for i plant verie n Act.	or the duration of the sty, and believe(s) th	certificate.		•	
SIGNATURE OF OWNER	R.Ke			SIGNATURE OF	OWNER	-		
NAME (Please print or type) Timothy	R. Kain			NAME (Please pri	int or type)			
CAPACITY OR TITLE Patent Scientist	DATE 6/	6/00	<del>,</del>	CAPACITY OR TI	TLE		DATE	
37.470 (6-98) designed by the Place Variety Pr	destine Office with Manual Restor 5.0-	Dealers 5	CTO 470 /0	2 OC Visibilità in chart		4	Linformation collection burden statement	

200000289 Page 2 - 86ISI27

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$2,450 (\$300 filing fee and \$2,150 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfiled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 500, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$300 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvp.htm

ITEM

18a, Give:

- (1) the genealogy, including public and commercial varieties, lines, or dones used, and the breeding method;
  - (2) the details of subsequent stages of selection and multiplication;
  - (3) evidence of uniformity and stability; and
  - (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
  - (1) identify these varieties and state all differences objectively;
  - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
  - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness
- 18c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 18e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 23. See Section 5.5 of the Act for instructions on claiming the benefit of an earlier filing date.
- 22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

A hybrid produced from this variety was first sold in the United States - February 2000

23. CONTINUED FROM FRONT (Please give the country, date of filling or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filing a change of address. The fee for filing a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the variety names proposed by contacting: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center-East, Beltsville, MD 20705. Telephone: (301) 504-8089.

letter. Under the PRA of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of rece, color, national origin, sex, religion, see, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiciage, etc.) should contact the USDA Office of Communications at (202) 720-2791. To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call (202) 720-7327 (voice) or (202) 720-1127 (TDO). USDA is an equal opportunity employer.

54.7-470 (6-98) designed by the Plant Variety Protection Office with WordPerfect 6.0s. Replaces STD-470 (03-96) which is obsolete.



Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other espect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Officer, OIRM, AG Box 1750, Jamie L. Whitten Building, Washington, D.C. 20250. When replying, refer to OMB No. 0581-0055 and form number in your latest to PDI of 1905 on recommendation of information unless it of CMB report number.

#### **EXHIBIT A**

#### Origin and Breeding History 86ISI27

86ISI27 was selected for greater combining ability, improved stalk and root strength and testweight.

Summer 1988	The inbred line IBC15* (a proprietary DEKALB Genetics Corporation inbred) was crossed to inbred line 3IBZ2 (a proprietary DEKALB Genetics Corporation inbred) (nursery book row numbers 111-34 and 111-35).
Winter 1988-89	S0 seed was grown and self-pollinated (nursery book row number 67-57).
Summer 1989	S1 seed was grown and self-pollinated (nursery book row numbers 101-7 to 101-18.
Winter 1989-90	S2 seed was grown ear to row and self pollinated (nursery book row numbers 747-13 to 747-89).
Summer 1990	S3 seed was grown ear to row and self pollinated (nursery book rows 107-65 to 107-66).
Summer 1991	S4 seed was grown ear to row and self pollinated (nursery book row 142-1).
Summer 1992	S5 seed was grown ear to row and self pollinated (nursery book row 217-37).
Summer 1993	S6 seed was grown as a bulk from S5 row 217-37 and self pollinated (nursery book row 162-11).
Summer 1994	S7 seed was grown as a bulk from S6 row 162-11 and self pollinated (nursery book row 232-79)
Winter 1994-95	S8 seed was grown ear to row from S7 row 162-11 (nursery book rows 2CC-31 to 2CC-35. Seed from rows 2CC-31 to 35 was bulked and given the designation 86ISI27.

<sup>\* -</sup> The line 'IBC15' is descended from the public line MO17.

#### Statement of Stability and Uniformity

Corn inbred 86ISI27 was coded in 1994 and has been reproduced by self pollination for the past three years and judged to be stable. Inbred 86ISI27 is uniform for all traits observed.

#### Statement of Variants

86ISI27 shows no variants other than what would normally be expected due to environment or that would occur for almost any character during the course of repeated sexual reproduction.

2000002897

#### **EXHIBIT B**

#### **Statement of Distinctness**

DEKALB Genetics Corporation believes that 86ISI27 is most similar to corn inbred 3IBZ2, an inbred developed by DEKALB Genetics Corporation.

86ISI27 and 3IBZ2 differ most significantly in the following traits:

#### **Qualitative Traits:**

Trait	86ISI27	3IBZ2
Cob Color	Red	White
	5 R 3/8	Lighter than 5 Y 9/1

#### **Quantitative Traits:**

Trait	86ISI27	3IBZ2	Difference	Pvalue
GDU's to 50% Shed	1331.6	1251.7	79.9	0.00**
GDU's to 50% Silk	1339.5	1242.2	97.3	0.00**

Signifigance level: \*\* = 1%

#### United States Department of Agriculture, Agricultural Marketing Service Science Division, Plant Variety Protection Office National Agricultural Library Building, Room 500 Beltsville, MD 20705

### OBJECTIVE DESCRIPTION OF VARIETY CORN (Zea mays L.)

Name of Applicant(s) Variety		Variety Seed So	Seed Source Variety Name or Temporary Desi 86ISI27			
DEKALB Genetics Corporation		İ	86121	8615127		
Address (Street & No., or R.F.D. No., City, State, Zip Code and Country)				OFFICIAL USE		
3100 Sycamore Road, DeKalb, IL 60115 U.S.A.				O Number 2000	0 0289	
Place the appropriate number that describes the varietal whole numbers by adding leading zeroes if necessary. Con Traits designated by a '*' are considered necessary for	mpleteness shoul	ld be striven for	to establis	sh an adequate var		
COLOR CHOICES (Use in conjunction with Munsell color code to describe all color choices; 01=Light Green 06=Pale Yellow 11=Pink 16=Pale 02=Medium Green 07=Yellow 12=Light Red 17=Purpl 03=Dark Green 08=Yellow-Orange 13=Cherry Red 18=Color 04=Very Dark Green 09=Salmon 14=Red 19=White 05=Green-Yellow 10=Pink-Orange 15=Red & White 20=White			Purple         21=Buff           Le         22=Tan           cless         23=Brown           e         24=Bronze			
STANDARD INBRED CHOICES(Use the <b>most similar</b> (in background Yellow Dent Families: Family Members	Yellow I	of these to ma Dent (Unrelated): .09, ND246,		ons based on <b>grow</b> - Sweet Corn: C13, Iowa512		
B14 CM105, A632, B64, B68 B37 B37, B76, H84 B73 N192, A679, B73, NC268 C103 Mo17, Va102, Va35, A682	Oh7, T2 W117, W W182BN	7153R		Popcorn: SG1533, 4722, HP	301, HP7211	
Oh43 A619, MS71, H99, Va26 WF9 W64A, A554, A654, Pa91	White De CI66, F	i105, Ky228		Pipecorn: Mo15W, Mo16W, Mo	24W	
1. TYPE: (describe intermediate types in Comments section  * 2 1=Sweet 2=Dent 3=Flint 4=Flour 5=Pop 6=Orname		rn	Standard 2	Inbred Name A619		
2. REGION WHERE DEVELOPED IN THE U.S.A.:  * 2 1=Northwest 2=Northcentral 3=Northeast 4=Southcentral 6=Southwest 7=Other	east 5=Southcer	ntral	Standard 2	Seed Source NCRIP	S_	
3. MATURITY (In Region Best Adaptability; show Heat Unit section):  DAYS HEAT UNITS  * 0 6 8 1 3 5 9.5 From emergence to 509			DAYS 0 7 0	HEAT UNIT. 1 3 7 1 3 6	1. 0	
* 0 6 6 1 3 2 2.0 From emergence to 50% From 10% to 90% polle		oollen		0 0 5	2. 0	
(*) From 50% silk to opti		ity			_· _	
From 50% silk to hard	vest at 25% mois	ture	0 8 4	1 4 6	4. 0	
4. PLANT: St	tandard Deviation	n Sample Size		Standard Deviat	ion Sample Size	
* 1 5 0.4 cm Plant Height (to tassel tip)	21.425	40	1 7 6.	7 13.352	120	
* 0 5 7.7 cm Ear Height (to base of top ear node)	1.980	40	0 3 9.	. 3 6.853	120	
0 0 9.8 cm Length of Top Ear Internode	1.556	40	0 1 1.	. 8 2.507	120	
Average Number of Tillers						
* 1. 0 Average Number of Ears per Stalk	0.000	40	0 0 1.	. 0 0.000	120	
2 Anthocyanin of Brace Roots: 1=Absent 2=Faint 3=Moderate 4=Dark						
Application Variety Data	Pa	ige 1	Standard	Inbred Data		



Application Variety Data	Page	2	Standard Inbred Data			
5. LEAF:	Standard Deviation	Sample Size	Standard Deviation Sample Siz			
* 0 0 8.5 cm Width of Ear Node Leaf	0.141	40	0 0 8. 9 0.419 120			
* 0 6 3.2 cm Length of Ear Node Leaf	0.636	40	0 6 4. 2 3.944 120			
* 5. 8 Number of leaves above top ear	0.283	20	5. 4 0.392 50			
2 7.8 degrees Leaf Angle (measure from 2nd leaf above ear at	1.061 anthesis to stalk abo	40 ve leaf)	2 8. 5 8.313 100			
* 0 3 Leaf Color (Munsell code 5 GY 3/4)			0 3 (Munsell code 5 GY ¾)			
2 Leaf Sheath Pubescence(Rate on scale	e from 1=none to 9=pea	ch fuzz)	1			
3 Marginal Waves (Rate on scale from	1=none to 9=many)		5			
4 Longitudinal Creases (Rate on scale	from 1=none to 9=many	)	8			
6. TASSEL:	Standard Deviation	Sample Size	Standard Deviation Sample Siz			
* 0 6.8 Number of Primary Lateral Branches	1.061	40	8. 4 1.804 120			
1 7. 0 Branch Angle from Central Spike	7.071	40	2 8. 4 3.766 100			
* 3 2. 2 cm Tassel Length	1.697	40	3 6. 1 4.928 120			
(from top leaf collar to tassel tip) 3. 8 Pollen Shed (Rate on scale from 0=male st	terile to 9=heavy shed	)	4. 8			
1 4 Anther Color (Munsell code 2.5 R 5/8)			0 5 (Munsell code 2.5 GY 8/6)			
1 7 Glume Color (Munsell code 5 RP 5/8)			0 2 (Munsell code 5 GY 4/8)			
2 Bar Glumes (Glume Bands): 1=Absent 2=Pres	sent	i	1			
7a. EAR (Unhusked Data):						
* 1 4 Silk Color (3 days after emergence) (Munsel	ll code 2.5 R 5/8)	·	0 5 (Munsell code 2.5 GY 8/6)			
0 2 Fresh Husk Color (25 days after 50% silking		4/8)	0 2 (Munsell code 5 GY 4/8)			
2 1 Dry Husk Color (65 days after 50% Silking)	-		2 1 (Munsell code 2.5 Y 8/4)			
* 1 Position of Ear at Dry Husk Stage: 1=Uprigh			1			
3 Husk Tightness (Rate on scale from 1=very )		enc	6			
1 Husk Extension (at harvest): 1=Short (ears		cm)	1			
3=Long (8-10 cm beyond ear						
7b. EAR (Husked Ear Data):	Standard Deviation	Sample Size	Standard Deviation Sample Siz			
* 1 1.4 cm Ear Length	1.697	20	1 3. 9 1.111 60			
* 3 9.3 mm Ear Diameter at mid-point	0.424	20	4 4. 3 1.874 60			
8 0.0 gm Ear Weight	14.920	40	0 9 3. 1 12.002 120			
* 1 6. 8 Number of Kernel Rows	1.131	20	1 5 0.575 60			
2 Kernel Rows: 1=Indistinct 2=Distinct			2			
2 Row Alignment: 1=Straight 2=Slightly (	Curved 3=Spiral		1			
8. 5 cm Shank Length	1.061	40	1 3. 0 0.937 120			
2 Ear Taper: 1=Slight 2=Average 3=Extrem	ae		2			
Application Variety Data			Standard Inbred Data			
Note: Use chart on first page to choose color codes i	for color tit-					

4

Application Variety Data		Page	3	Standard Inbred Data			
8. K	KERNEL (Dried):	Standard Deviation	Sample Size	s	tandard Deviation	Sample Size	
	1 0.5 mm Kernel Length	0.141	20	1 0.6	0.983	60	
	0 6.6 mm Kernel Width	0.283	20	0 8.2	0.754	60	
	0 3.5 mm Kernel Thickness	0.141	20	0 3.9	0.438	60	
	1 7. 9 % Round Kernels (Shape Grade)		500g	3 7. 7		500g	
	1 Aleurone Color Pattern: 1=Homozygous 2=	Segregating		1			
(*)	1 9 Aleurone Color (Munsell code Lighter th	an 2.5 Y 9/2)		1 9 (Munse	ell code Lighter T	han 2.5 Y 9/2	
*	0 7 Hard Endosperm Color (Munsell code 2.5	Y 8/10)		0 7 (Munse	ell code 2.5 Y 8/1	.0)	
*	0 3 Endosperm Type: 1=Sweet (sul) 2=Extra S 4=High Amylose Starch 5=Waxy Starch 6= 8=Super Sweet (se) 9=High Oil 10=Other	High Protein 7=High Ly		0 3			
	2 1. 1 gm Weight per 100 Kernels (unsized samp	le) 0.565	600 seeds	2 6.8	3.808	1200 seeds	
9. C	COB:	Standard Deviation	Sample Size	s	tandard Deviation	Sample Siz	
*	2 0.6 mm Cob Diameter at mid-point	1.131	20	2 6.5	1.022	60	
	1 4 Cob Color (Munsell code 5 R 3/8)			1 9 (Munse	ll code Lighter T	han 5 Y 9/1)	
10. D	DISEASE RESISTANCE (Rate from 1 (most susceptible leave blank if not tested; leave Race or Str.	e) to 9 (most resistan ain Options blank if p	t); olygenic):				
A. L	eaf Blights, Wilts, and Local Infection Disease	S					
- Co 6 Ey 7 Go 3 G: 5 Ho 6 So - So	Common Rust (Puccinia sorghi) Common Smut (Ustilago maydis) Gyespot (Kabatiella zeae) Goss's Wilt (Clavibacter michiganense spp. nebra Gray Leaf Spot (Cercospora zeae-maydis) Helminthosporium Leaf Spot (Bipolaris zeicola) Re Gorthern Leaf Blight (Exserohilum turcicum) Race Gouthern Leaf Blight (Bipolaris maydis) Race 0 Gouthern Rust (Puccinia polysora) Gottewart's Wilt (Erwinia stewartii) Other (Specify)	ace 2		- 6 6 9 Race 2 4 Race 2 7 Race 0			
	Systemic Diseases						
4 Co — He — Ma — Ma — Ma	Corn Lethal Necrosis (MCMV and MDMV)  lead Smut (Sphacelotheca reiliana)  laize Chlorotic Dwarf Virus (MCDV)  laize Chlorotic Mottle Virus (MCMV)  laize Dwarf Mosaic Virus (MDMV) Strain  lorghum Downy Mildew of Corn (Peronosclerospora so	sorghi)		4 7 - Strain			
c. st	talk Rots						
– Di – Fu – Gi	nthracnose Stalk Rot (Colletotrichum graminicola hiplodia Stalk Rot (Stenocarpella maydis) husarium Stalk Rot (Fusarium moniliforme) hibberella Stalk Rot (Gibberella zeae) hther (Specify)	a)		- - - -			
D. Ea	ar and Kernel Rots						
_ Di _ Ft _ Gi	spergillus Ear and Kernel Rot (Aspergillus flavo Diplodia Ear Rot (Stenocarpella maydis) Dusarium Ear and Kernel Rot (Fusarium moniliforme Dibberella Ear Rot (Gibberella zeae) Dither (Specify)			- - - -			
	cation Variety Data			Standard Inb	rod Data		

Application Variety Data	Page 4		Standard Inbred Data		
11. INSECT RESISTANCE (Rate from 1 (most susceptible) to 9 leave blank if not tested):	(most resistar	nt);		<del>-</del>	
	Standard Deviation	Sample Size		Standard Deviation	Sample Size
			·		
mg larval wt			· -		-
cm tunneled/plant cm tunneled/plant Two-spotted Spider Mite (Tetranychus urticae) Western Rootworm (Diabrotica virgifera virgifera) Other (Specify)					
12. AGRONOMIC TRAITS:					
<pre>6 Stay Green (at 65 days after anthesis) (Rate on</pre>	a scale from	n 1=worst	2		
0 0. 0 % Pre-anthesis Brittle Snapping			0 0.0		
0 0.0 % Pre-anthesis Brittle Snapping			0 0.0		
	anthogia)		0 0.0		
0 0. 4 % Post-anthesis Root Lodging (at 65 days after 3 6 8 1. 9 Kg/ha Yield of Inbred Per Se (at 12-13% grain	•		2 6 6 3. 7		

1 Isozymes

1 RFLP's

0 RAPD's

#### REFERENCES:

Butler, D.R. 1954. A System for the Classification of Corn Inbred Lines. PhD Thesis, Ohio State University.

Emerson, R.A., G.W. Beadle, and A.C. Fraser. 1935. A Summary of Linkage Studies in Maize. Cornell A.E.S., Mem. 180.

Farr, D.F., G.F. Bills, G.P. Chamuris, A.Y. Rossman. 1989. Fungi on Plant and Plant Products in the United States. The American Phytopathological Society, St. Paul, MN.

Inglett, G.E. (Ed.) 1970. Corn: Culture, Processing, Products. Avi Publishing Company, Westport, CT.

Jugenheimer, R.W. 1976. Corn: Improvement, Seed Production, and Uses. John Wiley & Sons, New York.

McGee, D.C. 1988. Maize Diseases. APS Press, St. Paul, MN. 150 pp.

Munsell Color Chart for Plant Tissues. Macbeth. P.O. Box 230. Newburgh, N.Y. 12551-0230

The Mutants of Maize. 1968. Crop Science Society of America. Madison, WI.

Shurtleff, M.C. 1980. Compendium of Corn Diseases. APS Press, St. Paul, MN. 105 pp.

Sprague, G.F., and J.W. Dudley (Editors). 1988. Corn and Corn Improvement, Third Edition. Agronomy Monograph 18. ASA, CSSA, SSSA, Madison, WI.

Stringfield, G.H. Maize Inbred Lines of Ohio. Ohio A.E.S., Bul. 831. 1959.

U.S. Department of Agriculture. 1936, 1937. Yearbook.

COMMENTS (eg. state how heat units were calculated, standard inbred seed source, and/or where data was collected. Continue in Exhibit D):

Heat Unit Calculation: GDU =  $\underline{\text{Daily Max Temp (<=86°F)}}$  +  $\underline{\text{Daily Min Temp (>=50°F)}}$  - 50°F

There are large standard deviations for the following specific traits for '86ISI27': Plant height, tassel branch angle and ear weight. Also, there are large standard deviations for the following specific traits for 'A619': length of ear node leaf, degree of leaf angle, # of primary lateral tassel branches, tassel length, ear weight, plant height and kernel weight. An explanation is requested as to what may have contributed to the large variability in these traits.

Data collected for '86ISI27' occurred at 2 test locations over two years for a total sample size of 40 plants measured. Data was reported as means across years and locations. Data collected for 'A619' also was reported as mean values across years and locations (3 years – 3 locations). Each of the aforementioned characteristics had a wide range of values due to spacial and temporal variation of the test contributing to the large standard deviation. Growing conditions (soil, climate, drought conditions, etc.) contributed significantly to influence the variability of the traits measured.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE	The following statements are made in 1974 (5 U.S.C. 552a) and the Paperwol				
EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP	Application is required in order to determine if a plant variety protect, certificate is to be issued (7 U.S.C. 2421). Information is held confident until certificate is issued (7 U.S.C. 2426).				
1. NAME OF APPLICANT(S)	TEMPORARY DESIGNATION     OR EXPERIMENTAL NUMBER	3. VARIETY NAME			
DEKALB Genetics Corporation		86ISI27			
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5. TELEPHONE (include area code)	6. FAX (include area code)			
3100 Sycamore Road	(815) 758-9281	(815) 758-3117			
DeKalb, IL 60115 U.S.A.	7. PVPO NUMBER 2000	00289			
8. Does the applicant own all rights to the variety? Mark an "X" in appropri	iate block. If no, please explain.	X YES NO			
9. Is the applicant (individual or company) a U.S. national or U.S. based or If no, give name of country	ompany?	YES NO			
10. Is the applicant the original owner? X YES	O If no, please answer one of the fo	ollowing:			
a. If original rights to variety were owned by individual(s), is (are) the or	iginal owner(s) a U.S. national(s)?	e e e e e e e e e e e e e e e e e e e			
TYES N	IO If no, give name of country				
b. If original rights to variety were owned by a company(ies), is(are) the	original owner(s) a U.S. based company	?			
YES	If no, give name of country				
1. Additional explanation on ownership (if needed, use reverse for extra sp	pace):				
86ISI27 was originated and developed by a By agreement between DEKALB Genetics discovery, or development are assigned to invention, discovery, or development are re	Corporation and the breeder, all ri DEKALB Genetics Corporation. N	ghts to any invention,			
LEASE NOTE:	1.4				
lant variety protection can be afforded only to owners (not licensees) who meet or	ne of the following criteria:				
. If the rights to the variety are owned by the original breeder, that person must be which affords similar protection to nationals of the U.S. for the same genus and		er country, or national of a country			
If the rights to the variety are owned by the company which employed the origin member country, or owned by nationals of a country which affords similar prote	nal breeder(s), the company must be U.S. baction to nationals of the U.S. for the same g	sed, owned by nationals of a UPOV enus and species.			
. If the applicant is an owner who is not the original owner, both the original own	er and the applicant must meet one of the ab	pove criteria.			
he original breeder/owner may be the individual or company who directed final b	reeding. See Section 41(a)(2) of the Plant V	ariety Protection Act for definition.			
According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection is 0581-0055. The time required to compete this information collection is 0581-0055. The time required to compete this information collection searching existing data sources, gathering and maintaining the data needed, and completing and	ion is estimated to average 10 minutes per respons	ntrol number. The valid OMB control number for e, including the time for reviewing instructions,			

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, targe print, audictape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).